

# Tobacco Free Living: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of adults who are current smokers (have smoked at least 100 cigarettes during their lifetime and report smoking every day or some days) <sup>1,2</sup>	20.6%	12.0%	<b>12% (2011)</b>	<b>8%</b>
Proportion of adolescents who smoked cigarettes in the past 30 days <sup>1</sup>	19.5%	16.0%	<b>13.8% (2010)</b>	<b>8%</b>



# Tobacco Free Living: CA-Specific Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A = Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of the population protected by smoke-free Multi-unit Housing policies <sup>1</sup>	0.8%	N/A	<b>6.4% (2012)</b>	<b>19.2%</b>
Percentage of the adults exposed to secondhand smoke at work in the past seven days	14.7%	N/A	<b>12.9% (2011)</b>	<b>10.3%</b>
Percentage of high school students exposed to secondhand smoke in the home in the past seven days	8.6%	N/A	<b>19.4% (2010)</b>	<b>15.5%</b>
Percent of youth who see advertisements for cigarettes or chewing tobacco sometimes or a lot when they go to sports events, fairs, or community events	N/A	N/A	<b>38.9% (2010)</b>	<b>31.1%</b>
Percentage of smokers to advised by their doctor to quit smoking in the last 12 months <sup>3</sup>	48.3%	N/A	<b>68.3% (2011)</b>	<b>82.0%</b>



# Healthy Eating: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of adults who are obese <sup>1,2</sup>	34.0%	30.6%	<b>24.7%</b> <b>(2010)</b>	<b>22.2%</b>
Proportion of children and adolescents who are obese <sup>1</sup>	<u>2-5 Years</u> 10.7%	<u>2-5 Years</u> 9.6%	<u>2-5 Years</u> <b>12.4%</b>	<u>2-5 Years</u> <b>11.1%</b>
	<u>6-11 Years</u> 12.2%	<u>6-11 Years</u> 17.9%	<u>6-11 Years</u> <b>12.2%</b>	<u>6-11 Years</u> <b>11.0%</b>
	<u>12-19 Years</u> 18.0%	<u>12-19 Years</u> 16.1%	<u>12-19 Years</u> <b>18.0%</b> <b>(2009)</b>	<u>12-19 Years</u> <b>17.1%</b>



# Healthy Eating : NPS Indicators (cont.)

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Average number of infections caused by salmonella species transmitted commonly through food, cases per 100,000 population <sup>1</sup>	15.2	11.4	<b>13.0 (2010)</b>	<b>9.8</b>
Proportion of infants who are breastfed exclusively through 6 months <sup>1, 3</sup>	14.1%	25.5%	<b>25.7% (2008)</b>	<b>46.5%</b>



# Healthy Eating: CA-Specific Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A = Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Adults who have consumed fruits and vegetables five or more times per day <sup>1,*</sup>	23.4%	N/A	<b>27.7% (2009)</b>	<b>37.4%</b>
Adolescents who have consumed fruits and vegetables five or more times per day <sup>1,*</sup>	22.3%	N/A	<b>19.9% (2009)</b>	<b>23.9%</b>
Farmers Markets per 100,000 population *	1.7	N/A	<b>1.4 (2009)</b>	<b>1.8</b>
Adolescents who drank 2 or more glasses of soda or other sugary drink yesterday <sup>1, 3*</sup>	19.7%	N/A	<b>27.3% (2009)</b>	<b>13.3%</b>
Prevalence of household-level food insecurity <sup>1</sup>	14.6%	N/A	<b>15.9% (2008-2010)</b>	<b>14.3%</b>

\* CDC State Indicator Report on Fruits and Vegetables, 2009, indicators derived from HP 2020 objectives; and CDC Children's Food Environment State Indicator Report, 2011.



# Healthy Eating: CA-Specific Indicators (cont.)

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Increase healthy food access and decrease the number of unhealthy food outlets as measured by the Retail Food Environment Index. <sup>1*</sup>	10	N/A	<b>11 (2009)</b>	<b>TBD</b>
Reduce the percentage of middle and high schools that allow advertising of less healthy foods. *	49.0%	N/A	<b>31.9% (2009)</b>	<b>TBD</b>

\* CDC State Indicator Report on Fruits and Vegetables, 2009, indicators derived from HP 2020 objectives; and CDC Children's Food Environment State Indicator Report, 2011.



# Active Living : NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of adults who meet physical activity guidelines for aerobic physical activity <sup>1</sup>	43.5%	47.9%	<b>51.3% (2009)</b>	<b>53.9%</b>
Proportion of adolescents who meet physical activity guidelines for aerobic physical activity <sup>1</sup>	18.4%	20.2%	<b>47.4% 4 to 7 days per week (2009)</b>	<b>49.8%</b>
Proportion of the nation's public and private schools that provide access to their physical activity spaces and facilities for all persons outside of normal school hours <sup>1,3</sup>	28.8%	31.7%	<b>58 % (2008)</b>	<b>58%</b>
Proportion of commuters who use active transportation (i.e., walk, bicycle, and public transit) to travel to work <sup>1</sup>	8.7%	20.0%	<b>8.8% (2010)</b>	<b>9.7 %</b>



# Active Living: CA Specific Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A = Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Increase the percentage of “physically fit” children, who score 6 of 6 on the required California school Fitnessgram test.	N/A	N/A	<u>5<sup>TH</sup> Graders</u> <b>15.2%</b> <u>7<sup>th</sup> Graders</u> <b>32.1%</b> <u>9<sup>th</sup> Graders</u> <b>36.8%</b> <b>(2010)</b>	<b>TBD</b>



# Injury & Violence Free Living: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Rate of fatalities due to alcohol impaired driving per 100 million vehicle miles traveled <sup>1</sup>	0.40	0.38	<b>0.25 (2010)</b>	<b>0.24</b>
Rate of fall-related deaths among adults age 65 and older per 100,000 population <sup>1</sup>	45.3	45.3	<b>37.5 (2010)</b>	<b>37.5</b>
Rate of homicides per 100,000 population <sup>1,2</sup>	6.1	5.5	<b>4.7 (2010)</b>	<b>4.2</b>
Rate of motor vehicle crash-related deaths per 100,000 population <sup>1,2</sup>	13.8	12.4	<b>6.9 (2010)</b>	<b>6.2</b>



# Injury & Violence Free Living

## CA Specific Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Reduce the rate of fatal occupational injuries per 100,000 full-time equivalent workers <sup>1,3</sup>	4.0	3.6	<b>2.1 (2010)</b>	<b>TBD</b>



# Preventing Drug Abuse & Excessive Alcohol Use: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of adults aged 18 years and older who reported that they engaged in binge drinking during the past month. <sup>1, 2</sup>	27.0%	24.3%	<b>23.7%*</b> (2008/09)	<b>21.3%</b>
Proportion of high school seniors who reported binge drinking during the past two weeks. <sup>1</sup>	25.2%	22.7%	<b>22.4%</b> (2008/09)	<b>20.2%</b>
Proportion of persons aged 12 or older who reported nonmedical use of any psychotherapeutic drug in the past year. <sup>1</sup>	6.1%	5.5%	<b>4.8%</b> (2008/09)	<b>4.3%</b>
Proportion of youth aged 12 – 17 years who have used illicit drugs in the past 30 days. <sup>1</sup>	10.0%	9.3%	<b>10.8%</b> (2008/09)	<b>10.0%</b>

\* Estimated, need permission to get 18+ breakdown from NSDUH



# Reproductive and Sexual Health: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A = Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of children born with low birth weight and very low birth weight. <sup>1,2</sup>	<u>Low</u> 8.2% <u>Very Low</u> 1.5%	<u>Low</u> 7.8% <u>Very Low</u> 1.4%	<u>Low</u> 6.8% <u>Very Low</u> 1.1% (2009)	TBD
Proportion of pregnant females who received early and adequate prenatal care <sup>1</sup>	70.5%	77.6%	79.6% (2009)	TBD
Teen birth rate for 15-19 year olds , per 1,000 <sup>1,2</sup>	34.3	N/A	31.5 (2010)	TBD
Proportion of people living with HIV who know their serostatus. <sup>1,3</sup>	79.0%	90.0%	79.9% (2011)	TBD



# Reproductive and Sexual Health: NPS Indicators

Key Indicators	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
<p>Healthy People 2020 Indicator <sup>1</sup></p> <p>County Health Ranking Indicator <sup>2</sup></p> <p>County level data are not available <sup>3</sup></p>				
<p>Proportion of sexually active females aged 16 to 20 years and 21 to 24 years enrolled in Medicaid and commercial health insurance plans who were screened for genital Chlamydia infections during the measurement year. <sup>1,3</sup></p>	<p><u>Medicaid</u> 16-20 Years 52.7%</p> <p><u>Medicaid</u> 21-24 Years 59.4%</p> <p><u>Commercial</u> 16-20 Years 40.1%</p> <p><u>Commercial</u> 21-24 Years 43.5%</p>	<p><u>Medicaid</u> 16-20 Years 74.4%</p> <p><u>Medicaid</u> 21-24 Years 80%</p> <p><u>Commercial</u> 16-20 Years 65.9%</p> <p><u>Commercial</u> 21-24 Years 78.3%</p>	<p><u>Medicaid</u> 15-24 Years 61%</p> <p><u>Kaiser North Medi-Cal</u> 16-20 Years 74%</p> <p><u>Kaiser North Medi-Cal</u> 21-24 Years 72%</p> <p><u>Kaiser South Medi-Cal</u> 16-20 Years 74%</p> <p><u>Kaiser South Medi-Cal</u> 21-24 Years 80%</p> <p><u>Commercial</u> 16-20 Years 40% -63%</p> <p><u>Commercial</u> 21-24 Years 48%-72% (2010)</p>	TBD



# Mental & Emotional Well Being: NPS Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A=Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Proportion of adolescents (12-17 years old) who experience major depressive episode (MDE) <sup>1,3</sup>	8.3%	7.4%	<b>8.2%</b> <b>(2008/09)</b>	<b>7.3%</b>
Proportion of adults (18 years and older) who experience major depressive episode (MDE) <sup>1,3</sup>	6.8%	6.1%	<b>6.0%</b> <b>(2008/09)</b>	<b>5.4%</b>
Youth Suicide Rate, 15-24 year olds, per 100,000 population <sup>1</sup>	11.8	N/A	<b>6.6</b> <b>(2009)</b>	<b>TBD</b>



# Environmental Health Indicators

## Air

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Reduce the number of days the Air Quality Index (AQI) exceeds 100 <sup>1,2</sup>	11 Days	10 Days	N/A Local/Region only	TBD
Annual number of unhealthy air quality days due to fine particulate matter <sup>2</sup>	0	N/A	16 (2012)	TBD
Annual number of unhealthy air quality days due to ozone <sup>2</sup>	0	N/A	51 (2012)	TBD



# Environmental Health Indicators

## Air

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Lifetime asthma, 0-17 years <sup>1</sup>	13.8%	N/A	<b>14.2% (2009)</b>	<b>TBD</b>
Lifetime asthma, 18 years and older <sup>1</sup>	13.1%	N/A	<b>13.5% (2009)</b>	<b>TBD</b>
Emergency department visits, 0-17 years due to asthma per 10,000 <sup>1</sup>	103	N/A	<b>72.2 (2008)</b>	<b>TBD</b>
Hospital Admissions for asthma, 0-17 years per 10,000 <sup>1</sup>	27	N/A	<b>11.0 (2009)</b>	<b>TBD</b>
Missed any school days due to asthma in the past year, age 5-17 years <sup>1*</sup>	58.7%	48.7%	<b>48.4% (2009)</b>	<b>TBD</b>



\* This is an National Prevention Strategy Indicator

Let's Get Healthy California Task Force

# Environmental Health Indicators

## Housing

Key Indicators Healthy People 2020 Indicators are noted by <sup>1</sup> County Health Ranking Indicators are noted by <sup>2</sup> County level data are available unless noted by <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Percent of adults with asthma who saw/smelled mold, cockroaches, or rodents in their home (past 30 days) <sup>1,3</sup>	TBD	N/A	19.0%	TBD
Percent of households in overcrowded conditions <sup>1</sup> * * This represents a HP 2020 new topic area; objectives and targets under development.	3%	N/A	8% (2006-2010)	TBD



# Environmental Health Indicators

## Water

Key Indicators Healthy People 2020 Indicators are noted by <sup>1</sup> County Health Ranking Indicators are noted by <sup>2</sup> County level data are available unless noted by <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Increase the proportion of persons served by <i>small</i> community water systems who receive a supply of clean and safe drinking water <sup>1*</sup> <b>* 95% of large water systems meet the Safe Drinking Water Act regulation</b>	89%	91%	<b>92% (2011)</b>	<b>95%</b>



# Childhood Development: Immunizations

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
All doses of recommended vaccines (DTaP, IPV, MMR, Hib, Hep B, VZV, PCV) for children 19-35 months old <sup>1,3</sup>	70%	80%	<b>68% (2010)</b>	<b>80%</b>
Rate of personal belief exemptions to immunizations required for entry into kindergarten	N/A	N/A	<b>2.4% (2011)</b>	<b>1.2%</b>
Percentage of children 0- 5 years of age who have 2 or more dose of vaccine recorded in the immunization registry <sup>3</sup>	N/A	N/A	<b>52% (2011)</b>	<b>90%</b>



# Childhood Development: Prevention of Maltreatment Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup>	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Reduce incidents of nonfatal child maltreatment (including physical, psychological, neglect, etc.) per 1,000 children <sup>1</sup>	9.4	8.5	<b>9.4</b> (2011)	<b>8.5</b>
Reduce child maltreatment deaths per 100,000 children <sup>1</sup>	2.4	2.2	<b>1.7</b> (2011)	<b>1.5</b>



# Childhood Development: Education Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A=Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Increase the proportion of students who graduate with a regular diploma 4 years after starting 9 <sup>th</sup> grade. <sup>1,2</sup>	74.9%	82.4%	<b>74.4% (2010)</b>	<b>TBD</b>
Increase the proportion of third and fourth grade students whose reading skills are at or above the proficient level. *	3 <sup>rd</sup> grade: N/A  4 <sup>th</sup> grade: 33%	3 <sup>rd</sup> grade: N/A  4 <sup>th</sup> grade: 36.3%	3 <sup>rd</sup> grade: <b>44%</b> (CDE, 2010)  4 <sup>th</sup> grade: <b>25%</b> (US Dept. of Education 2010)	<b>TBD</b>



\* School readiness or Kindergarten-ready statewide data does not currently exist in California. This is recommended by early childhood experts as best available outcome measure.

Let's Get Healthy California Task Force

# Childhood Development

## Poverty and Neighborhood Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A= Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Child poverty rate <sup>1,2</sup>	22%	N/A*	<b>22%</b> (2011)	TBD
Adult unemployment rate <sup>1,2</sup>	8.2%	N/A*	<b>10.7%</b> (6/2012)	TBD
Percent of children who live in neighborhoods that are usually or always safe <sup>3</sup>	86.1%	N/A	<b>84.0%</b> (2007)	TBD

\* This represents a HP 2020 new topic area; objectives and targets under development.



## Oral Health Indicators: CA Specific Indicators

Key Indicators Healthy People 2020 Indicator <sup>1</sup> County Health Ranking Indicator <sup>2</sup> County level data are not available <sup>3</sup> N/A = Not Available	U.S. Current	U.S. 10-Year Target	CA Current	Draft CA 10-Year Target
Increase the proportion of the California population served by community water systems with optimally fluoridated water <sup>1</sup>	72.4%	79.6 %	<b>62.1% (2010)</b>	<b>TBD</b>
Increase the proportion of children ages 1-20 enrolled in Medicaid or CHIP who received any dental service <sup>3</sup>	40%	N/A	<b>35% (2009)</b>	<b>TBD</b>

